

- **Bleed Line**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

## Template for 297mm x 210mm Wall Calendar

# Place Front Cover Image Here

303mm x 216mm or 3585px x 2555px

300ppi

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# January 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# February 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>6</i>	<i>7</i>
<i>8</i>	<i>9</i>	<i>10</i>	<i>11</i>	<i>12</i>	<i>13</i>	<i>14</i>
<i>15</i>	<i>16</i>	<i>17</i>	<i>18</i>	<i>19</i>	<i>20</i>	<i>21</i>
<i>22</i>	<i>23</i>	<i>24</i>	<i>25</i>	<i>26</i>	<i>27</i>	<i>28</i>

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# March 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.



# April 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# May 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# June 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# July 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.



# August 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# September 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30			

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# October 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# November 2026

<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.



# December 2026

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

## Template for 297mm x 210mm Wall Calendar

# Place Image Here

303mm x 216mm or 3585px x 2555px

300ppi



- **Bleed Area**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# Calendar 2027

## January

S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

## February

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28						

## March

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

## April

S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

## May

S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

## June

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30			

## July

S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

## August

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

## September

S	M	T	W	T	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

## October

S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

## November

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

## December

S	M	T	W	T	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

- **Bleed Line**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

## Template for 297mm x 210mm Wall Calendar

# Place Back Cover Image Here

303mm x 216mm or 3585px x 2555px

300dpi