

- **Bleed Line**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

## Template for 11"x8.5" Wall Calendar

# Place Front Cover Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# January

# 2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# February

# 2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28						

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# March

# 2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# April

# 2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# May

# 2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# June

# 2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30			

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# July

# 2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# August

# 2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

September

2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

October

2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# November

# 2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# December

# 2027

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

## Template for 11"x8.5" Wall Calendar

# Place Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300ppi

### Bleed Area

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

### Trim Size

The final cut size of the calendar.

### Safe Zone

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

### Wire-O Hole Punch Safe Zone

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

# January

# 2028

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

- **Bleed Line**

Extend design 0.125" / 3mm beyond trim line to avoid white edges after cutting.

- **Trim Size**

The final cut size of the calendar.

- **Wire-O Hole Punch Safe Zone**

For Wire-O bound calendars, keep important content at least 0.47" / 12mm from the trim line on the hole punch side to avoid being cut or punched.

- **Safe Zone**

Keep all important content at least 0.125" / 3mm inside the trim line to prevent trimming errors

## Template for 11"x8.5" Wall Calendar

# Place Back Cover Image Here

11.25" x 8.75" or 286mm x 222mm or 3375px x 2625px

300dpi